

## **WHEEL TRENCHER FIBER 150**



## **WHEEL TRENCHER FIBER 150**

**MICRO & MINI DIGGING. CLEAN DIG FOR AN IMMEDIATE CABLE LAYING. COMPACT. EASY TO USE.**

**Sectors of use:** Telecommunications, Agriculture, Gardening, Electrical networks, Forestry, Oil and gas, Pipeline, Water networks, Landscaping, Constructions.

## GENERAL FEATURES :

- TRENCH DEPTH ADJUSTABLE up to 150 mm
- TRENCH WIDTH from 25 to 50 mm
- SIZES AND WEIGHT 1540 x 705 x 1180 mm - 470 kg

## TECHNICAL DATA :

- DIESEL ENGINE HATZ 10 HP EU STAGE V
- TRANSMISSION Hydraulic trasmission to the tracks
- RUBBER TRACKS [pdf-embedder url="http://tadrilling.uk/wp-content/uploads/2021/03/TZ-OPTIC-FIBER-150.pdf"]180 x 60 x 28 cm

Categories: Garbin Products, Trenchers.

---

|                         |                 |
|-------------------------|-----------------|
| <b>Battery Capacity</b> | <i>9.12 kwh</i> |
|-------------------------|-----------------|

---

|                          |                    |
|--------------------------|--------------------|
| <b>Battery Chemistry</b> | <i>Lithium Ion</i> |
|--------------------------|--------------------|

---

|  |           |
|--|-----------|
| <b>Battery Electric System Voltage</b> | <i>48</i> |
|--|-----------|

---

|                         |                                      |
|-------------------------|--------------------------------------|
| <b>Ground Clearance</b> | <i>5.8" (15 cm) front &amp; rear</i> |
|-------------------------|--------------------------------------|

---

|                     |                 |
|---------------------|-----------------|
| <b>Ground Speed</b> | <i>2.75 mph</i> |
|---------------------|-----------------|

---

|               |                         |
|---------------|-------------------------|
| <b>Height</b> | <i>48.7" (123.7 cm)</i> |
|---------------|-------------------------|

---

|                       |                |
|-----------------------|----------------|
| <b>High Flow Pump</b> | <i>6.5 gpm</i> |
|-----------------------|----------------|

---

**Hydraulic Reservoir Cap.** *14.8 gallons*

---

**Hydraulic System Pressure** *3,250 PSI*

---

**Length** *82.2" (208.8 cm) w/bucket; 62" (157.5 cm) w/o bucket*

---

**Operating Capacity** *515 lbs. (234 kg)*

---

**Weight** *2,076 lbs (942 kg)*

---

**Wheelbase** *28"*

---

**Wheels** *Non-marking / Solid*

---